INDIANA UTILITY REGULATORY COMMISSION 302 W. WASHINGTON STREET, SUITE E-306 INDIANAPOLIS, INDIANA 46204-2764



http://www.state.in.us/iurc/ Office: (317) 232-2701 Facsimile: (317) 232-6758

PETITION OF BOONVILLE NATURAL GAS)	THE TOP
CORPORATION FOR APPROVAL OF GAS) CAUS	E NO. 37369 HEF 07
COST ADJUSTMENT TO BE APPLICABLE IN T		
IN THE MONTHS OF NOVEMBER AND DECEM	BER)	'OCT 1 6 2003
2003 AND JANUARY 2004, PURSUANT TO)	70 0 2003
I.C. 8-1-2-42, PL 43-1983)	YELHEJ ANAKONI
		REGULATORY COMMISSION

On September 11, 2003, Boonville Natural Gas Corporation ("Petitioner") filed its Petition for Approval of a Gas Cost Adjustment ("GCA"). The hearing is scheduled for October 22, 2003. After reviewing the petition, the presiding officer now finds that Petitioner should answer the following data requests by October 21, 2003:

On Sch 6 explain why on line 6 a gas rate of \$2.5898 /DTH was used instead of a rate of \$3.0392/DTH which is the factor in GCA 64 for the billing months of February through March 03.

Also on Sch 6 explain why on line 7 a gas rate of \$2.5502 /DTH which is the actual incremental cost of gas billed excluding the Utility Receipts Tax factor used instead of a rate of \$2.9927/DTH which is the factor in GCA 64 for the billing months of February through March 03.

On Sch 6A explain why on line 2 there is a calculation made for the March but not for the month of April.

What does the 8,274 DTH figure represent?

Where do the 8,274 DTH and the \$2.15 figures come from?

On line 3 how are the figures for the months of March and April calculated? It appears that for April the \$5 is multiplied by the line 1 figure for April. Why wasn't this methodology used in March?

On the residential bill comparison Petitioner did not used the correct GCA factor for GCA 63 calculations. Please explain or correct.

Why is Petitioner deferring the collection of the variance until the next GCA?

IT IS SO ORDERED.

Abby R. Gray, Administrative I aw Judge

October 16, 2003

Date

Nancy E. Mapley, Secretary to the Commission